

Math 142: Calculus II

Midterm 2

June 21st, 2021

NAME (please print legibly): _____

Your University ID Number: _____

- The exam will be 75 minutes long. You will get extra time at the end to upload the exam to Gradescope.
- There are 9 pages.
- A formula sheet is provided.
- No calculators, phones, electronic devices, books, notes are allowed during the exam. The only materials you are allowed to use are pen/pencil and paper. In particular, you are NOT allowed to take the exam on a tablet.
- You are allowed to use a phone or tablet to take photographs of your answer sheet once the exam is over. If you finish early, you must take permission before taking photographs. Once you start taking photographs, you are not allowed to write.
- **Show all work and justify all answers as much as possible.** You may not receive full credit for a correct answer if insufficient work is shown or insufficient justification is given.
- Numerical or algebraic simplifications of answers are not required.
- In several questions, you do NOT need to evaluate the integral. Please read the questions carefully to ensure you do not waste time trying to compute an integral you do not need to.

QUESTION	VALUE	SCORE
1	0	
2	10	
3	30	
4	20	
5	30	
6	30	
TOTAL	120	

Formulas

- Volume of a washer with inner radius r_1 , outer radius r_2 and infinitesimal height dx is given by $\pi(r_2^2 - r_1^2) dx$.
- Volume of a cylindrical shell with radius r , height h and infinitesimal thickness dx is given by $2\pi rh dx$.
- $\int x^n dx = \frac{x^{n+1}}{n+1} + C$ provided $n \neq -1$.
- $\int \frac{dx}{x} = \ln x + C$.
- $\int e^x dx = e^x + C$.
- $\int \cos x dx = \sin x + C$, $\int \sin x dx = -\cos x + C$.
- $\tan \frac{\pi}{4} = 1$, $\tan 0 = 0$.

1. (0 points) Copy the following honesty pledge on to your answer sheet. Remember to sign and date it.

Pledge of Honesty

I affirm that I will not give or receive any unauthorized help on this exam, and that all work will be my own.

Signature: _____

2. (10 points)

A particle travels with velocity $f(t) = 1/(1 + t)$ in m/s while travelling along a line for 6 seconds, starting at $t = 0$. Find the time at which the instantaneous velocity of the particle is equal to its average velocity over its motion.

- 3. (30 points)** Consider the region bounded in the first quadrant by $y = x^2$ and $y = \sqrt{x}$.
- (a) Sketch the curves and shade the region described above.
 - (b) Write (but do NOT evaluate) an integral that is equal to the area of the region.
 - (c) Write (but do NOT evaluate) an integral using the shell method for the volume of the solid obtained by revolving the region about the y -axis.
 - (d) Write (but do NOT evaluate) an integral using the washer method for the volume of the solid obtained by revolving the region about the line $x = 1$.

4. (20 points)

An inverse conical tank of radius $r = 2$ m and height $h = 5$ m is full of water. The water is pumped out of a hole at the top of the tank over time.

- (a) Write (but do NOT evaluate) an integral that represents the work done to bring the water level down to a height of 2 m.
- (b) Write (but do NOT evaluate) an integral that represents the work done to empty the tank.

Recall that the density of water is 1000 kg m^{-3} and that the acceleration due to gravity is 9.8 m s^{-2} .

5. (30 points)

Compute the following indefinite integrals:

(a)

$$\int \frac{(x + 2x^3)}{(x^2 + x^4)^3} dx$$

(b)

$$\int e^u \cos u du$$

(c)

$$\int t^2 e^t dt$$

6. (30 points)

Compute the following definite integrals:

(a)

$$\int_1^2 \frac{(\ln v)^2}{v} dv$$

(b)

$$\int_0^{2\pi} x \cos x dx$$

(c)

$$\int_0^1 \arctan x dx$$