Math 162: Calculus IIA

Final Exam December 15, 2009

NAME (please pr	int legibly): $_$			
Your University I	D Number: _			
Indicate your inst	ructor with a	check in the box:		
	John Olsen	MWF 9:00 - 9:50 AM		

Doug Ravenel MWF 10:00 - 10:50 AM

- The presence of calculators, cell phones, iPods and other electronic devices at this exam is strictly forbidden.
- Show your work and justify your answers. You may not receive full credit for a correct answer if insufficient work is shown or insufficient justification is given.
- Put your answers in the space provided at the bottom of each page or half page.
- You are responsible for checking that this exam has all 14 pages.
- Part A covers the same material as the two midterms, and Part B covers additional material. Letter grades will be computed for the two parts separately.
- Part B will count for 20% of your course grade. It has the same weight as a midterm exam grade.
- Part A will count for at least 10% of your course grade.
- If your grade on part A is better than your lowest midterm exam grade, then it will replace that midterm exam grade and count for 30% of your course grade.

Part A				
QUESTION	VALUE	SCORE		
1	20			
2	20			
3	15			
4	15			
5	10			
6	20			
TOTAL	100			

Part B				
QUESTION	VALUE	SCORE		
7	25			
8	25			
9	15			
10	15			
11	20			
TOTAL	100			

Part A 1. (20 points)

(a) Find the partial fraction expansion of

$$\frac{-3x-2}{x^3-x^2+4x-4}.$$

(b) Calculate the integral

$$\int \frac{-3x - 2}{x^3 - x^2 + 4x - 4} \, dx.$$

NOTE: The first part of this problem was designed to help you do the second part. If you did the first part incorrectly, you will not get partial credit for "correctly" using the wrong partial fraction expansion to find the integral.

2. (20 points)

Evaluate the integral

$$\int \frac{\sqrt{4-x^2}}{x^2} \, dx$$

Rotate the region bounded by y = 0, $y = e^{-x^2}$, x = 0 and x = 1 around the y-axis. Compute the volume of the resulting body.

4. (15 points)

A cylindrical well has radius 1m and depth 5m. The depth of the water in the well is 3m. How much work (in Joules) is required to empty the well? The density of water is $1000kg/m^3$ and $g = 9.8m/sec^2$. You may assume $9.8 \cdot \pi = 31$. A Joule is the metric unit of work, $1J = 1kg \cdot m^2/sec^2$

5. (10 1	points)

Find the area of the region bounded by $y = \sin(x)$ and $y = \cos(x)$ for $0 \le x \le \pi/4$.

6. (20 points)

The cycloid is the curve defined by $x(t) = r(t - \sin(t))$ and $y(t) = r(1 - \cos(t))$, where r is a constant. Find the arclength of the cycloid for $0 \le t \le 2\pi$. You may use the identity $\sin^2(t) = (1 - \cos(2t))/2$.

Part B

7. (25 points)

- (a) Find the power series expansion of $1/(1+x^2)$, as well as radius and interval of convergence.
- (b) Find the power series for arctan(x), as well as the radius and interval of convergence.

8. (25 points)

- (a) Find the Taylor series centered at 0 of the function e^{-x^2} , as well as radius and interval of convergence.
- (b) Write the integral

$$\int_0^x e^{-t^2} dt$$

as a power series.

ANSWER:	
ANOWER:	

9. (15 points)

Find the radius and interval of convergence of the power series

$$\sum_{n=0}^{\infty} (-1)^n \frac{(x+2)^n}{n+1}.$$

December 15, 2009

10. (15 points)

Determine whether the series

$$\sum_{n=2}^{\infty} (-1)^n \frac{1}{n \ln(n)}$$

is absolutely convergent, conditionally convergent or divergent.

11. (20 points)

(a) Determine whether the series

$$\sum_{n=0}^{\infty} (-1)^n e^{-n}$$

is absolutely convergent, conditionally convergent or divergent.

(b) Estimate the sum of the series within an accuracy of e^{-5} . You may leave you answer in terms of powers of e.